

# V-LOK™ clamp system



# V-LOK™ (no-weld) clamp system

V-LOK™ eliminates welding, grinding and the need for a hot permit. No more endless hours waiting for a welder with a permit, no more damage to shock sub housings or top subs from removing weld tabs. Just use V-LOK™.



V-LOK Top Sub

SPT Shock Sub

FCS Shock Sub

## Drill-Guard™ SPT-28 (torque control housing) V-LOK™ (no-weld) clamp compatible

Top connection	Bottom connection	S/S Length	Drill rig model	Weight		Comments	Product No.
				kg	lbs		
7-5/8" API-REG Pin	8" BECO (10-3/4" Ø)	31-1/2"	PV-351	1085	2394	For 8-5/8" to 12-3/4" O/D drill strings	92011740
7-5/8" API-REG Pin	10" BECO (13-3/8" Ø)	31-1/2"	PV-351	1079	2379	For 13-3/8" OD drill string	92011743
7-5/8" API-REG Pin	8" BECO (10-3/4" Ø)	31-1/2"	PV-351	1085	2394	*Uses breakout out ring on Pin end (92010476)	92011772
6-5/8" API-REG Pin	8" BECO (10-3/4" Ø)	31-1/2" S/S	PV-311/316	1043	2300	For 8-5/8" to 10-3/4" O/D drill strings	92011773
5-1/2" Square bolt flange (female)	8" BECO (10-3/4" Ø)	34-3/4" S/S	CAT / BE	1086	2396	For 8-5/8" to 11-3/4" O/D drill strings	92011741
6" Square bolt flange (female)	10" BECO	34-3/4" S/S	CAT / BE	1125	2480	For 13-3/8" drill string	92011778
8-5/8" API-REG Pin	10" BECO (13-3/8" Ø)	31-1/2" S/S	P&H 320XP	1089	2401	For 13-3/8" drill string	92011771
8-5/8" API-REG Pin	8" BECO (10-3/4" Ø)	31-1/2" S/S	P&H 320XP	1050	2315	For 8-5/8" to 11-3/4" O/D drill strings	92011886

## Related top thread saver subs: V-LOK™ (no-weld) clamp compatible

Drill rig model	Description	Product No.
CAT/ BE	10-3/4" > 9-1/4" O.D. x 24" S/S 8" Beco Pin / 6" Beco Box Be45/49/55/60/61/67/59-R Top thread saver sub D-slots c/w V-LOK	92003498
BE/P&H/GD	10-3/4" O.D. x 36" S/S 8" Beco Pin / 8" Beco Box Be/P&H/GD Top thread saver sub 9-1/4" Recess & D-Slots c/w V-LOK	92011758
BE / CAT	10-3/4" > 9-1/4" O.D. x 43" S/S 8" Beco Pin / 6" Beco Box Be/P&H/GD Top thread saver sub D-Slots c/w V-LOK	92011719
PV 351	10-3/4" > 9-1/4" O.D. x 31" S/S 8" Beco Pin / 6" Beco Box Pv-351 Top thread saver sub 7-3/4" F/F c/w V-LOK	92011779
PV 351	10-3/4" O.D. x 31" S/S 8" Beco Pin / 8" Beco Box Pv-351 Top thread saver sub 9-1/4" F/F V-LOK	92011780
PV 351	10-3/4" > 9-1/4" O.D. x 36" S/S 8" Beco Pin / 6" Beco Box Pv-351 Top thread saver sub 7-3/4" F/F V-LOK	92011781
PV 351	10-3/4" O.D. x 36" S/S 8" Beco Pin / 8" Beco Box Pv-351 V-LOK Top thread saver sub 9-1/4" F/F	92011782
PV 351	13-3/8" > 10-3/4" O.D. x 31" S/S Pv-351 Top thread saver sub c/w 10" Beco Pin / 8" ACT-115 Box 9-1/4" F/F c/w L-LOK	92011926
PV 351	13-3/8" O.D. x 31" S/S 10" Beco Pin / 10" Beco Box Pv-351 Top thread saver sub 11-3/8" F/F c/w V-LOK	92011822
BE/P&H/GD	13-3/8" O.D. x 48" S/S 10" Beco Pin / 10" Beco Box Be / P&H / GD Top thread saver sub D-slots c/w V-LOK	92011823
BE/P&H/GD	13-3/8" O.D. x 27" S/S 10" Beco Pin / 10" Beco Box Be / P&H / GD Top thread saver sub D-slots c/w V-LOK	92011966
BE/P&H/GD	10-3/4" > 8-5/8" O.D. x 43" S/S 8" Beco Pin / 6" Beco Box Be/P&H/GD Top thread saver sub D-Slots c/w V-LOK	92011852
BE/P&H/GD	10-3/4" O.D. x 26" S/S 8" Beco Pin / 8" Beco Box Be/P&H/GD Top thread saver sub D-Slots c/w V-LOK	92011109

## Drill-Guard™ parts SPT-28

### V-LOK™ (no-weld) clamp compatible bottom housings

Part description	Connection	S/S Length	Drill rig model	Weight		Comments	Product No.
				kg	lbs		
Base housing, 13-3/8" > 10-3/4"	8" BECO	N/A	PV 351 / CAT Rigs	480	1058	Standard base housing with V-LOK	92011862
Base housing, 13-3/8"	10" BECO	N/A	PV 351 / CAT Rigs	510	1124	Standard base housing with V-LOK	92011807

## Drill-Guard™ SPT-22 (torque control housing)

### V-LOK™ (no-weld) clamp compatible

Top connection	Bottom connection	S/S Length	Drill rig model	Weight		Comments	Product No.
				kg	lbs		
6-5/8" API-REG Pin	6-5/8" API-REG (8-5/8" Ø)	28"	PV-271/275	481	1060	For 6-1/4" to 8-5/8" O/D Drill strings	92011742
5-1/2" API-REG Pin	5-1/2" API-REG Box (8-5/8" Ø)	28"	SKS	486	1073	For 5" to 8-5/8" O/D Drill strings	92011770
6-5/8" API-REG	6-5/8" API-REG (8-5/8" Ø)	28"	PV-271/275	482	1061	7" Flats	92011873

## Related top thread saver subs: V-LOK™ (no-weld) clamp compatible

Drill rig model	Description	Product No.
PV 271/275	8-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 Top thread saver sub 7-3/4" F/F c/w V-LOK	92011752
PV 271/275	8-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 Modified Top thread saver sub 7" F/F c/w V-LOK	92011872
PV 271/275	8-5/8" > 7" O.D. x 19" S/S 6-5/8" API-REG Pin, 4-1/2" Beco Box, V-LOK	92011958
PV 271/275	8-5/8" > 7-5/8" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 5-1/4" Beco Box Pv-271/275 Top thread saver sub 6-3/4" F/F c/w V-LOK	92011804
PV 271/275	8-5/8" > 7-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 5-1/4" Beco Box Pv-271/275 Top thread saver sub 6-3/4" F/F c/w V-LOK	92011898
PV 271/275	8-5/8" > 7" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 4-1/2" Beco Box Pv-271/275 Top thread saver sub 5-3/4" F/F c/w V-LOK	92011805
PV 271/275	8-5/8" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 Top thread saver sub 7-3/4" F/F c/w V-LOK	92011806
PV 271/275	8-5/8" > 7-5/8" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 5-1/4" Beco Box Pv-271/275 Top thread saver sub 6-3/4" F/F c/w V-LOK	92011804
PV 271/275	8-5/8" > 7-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 5-1/4" Beco Box Pv-271/275 Top thread saver sub 6-3/4" F/F c/w V-LOK	92011898
PV 271/275	8-5/8" > 7" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 4-1/2" Beco Box Pv-271/275 Top thread saver sub 5-3/4" F/F c/w V-LOK	92011805
PV 271/275	8-5/8" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 Top thread saver sub 7-3/4" F/F c/w V-LOK	92011806
CAT	8-5/8" OD X 8" S/S, 5-1/2" API Reg Pin / 6" BECO Box, SKS/SKSS, Top thread saver sub c/w V-LOK	92011940
CAT	8-5/8" > 7-5/8" OD X 8" S/S, 5-1/2" API Reg Pin / 5-1/2" Beco Box, SKS/SKSS, Top thread saver sub c/w V-LOK	92011941
CAT	8-5/8" > 7" OD X 8" S/S, 5-1/2" API Reg Pin / 4-1/2" Beco Box, SKS/SKSS, Top thread saver sub c/w V-LOK	92011942
CAT	8-5/8" > 6-1/4" OD X 8" S/S, 5-1/2" API Reg Pin / 4-1/2" Beco Box, SKS/SKSS, Top thread saver sub c/w V-LOK	92011943

## FCS 306430 – Floating cushion sub V-LOK™ (no-weld) clamp compatible

Top connection	Bottom connection	S/S Length	Drill rig model	Weight		Comments	Product No.
				kg	lbs		
6-5/8" API-REG Pin	6-5/8" API-REG (8-5/8" Ø)	28"	PV-271/275	476	1050	For 6-1/4" to 8-5/8" O/D drill strings	92011783
5-1/2" API-REG Pin	5-1/2" API-REG (8-5/8" Ø)	28"	CAT	476	1050	For 6-1/4" to 8-5/8" O/D drill strings	92011947

## Related top thread saver subs: V-LOK™ (no-weld) clamp compatible

Drill rig model	Description	Product No.
PV 271/275	7-5/8" O/D x 9.5" S/S 6-5/8" API-REG Pin, 5-1/4" Beco Box c/w V-LOK	92011148
PV 271/275	7-5/8" O/D x 9.5" S/S 5-1/4" Beco Pin, 5-1/4" Beco Box c/w V-LOK	92011149
PV 271/275	8-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 Top thread saver sub 7-3/4" F/F c/w V-LOK	92011752
PV 271/275	8-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 Modified top thread saver sub 7" F/F c/w V-LOK	92011872
PV 271/275	8-5/8" > 7" O.D. x 19" S/S 6-5/8" API-REG Pin, 4-1/2" Beco Box, V-LOK	92011958
PV 271/275	8-5/8" > 7-5/8" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 5-1/4" Beco Box Pv-271/275 Top thread saver sub 6-3/4" F/F c/w V-LOK	92011804
PV 271/275	8-5/8" > 7-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 5-1/4" Beco Box Pv-271/275 Top thread saver sub 6-3/4" F/F c/w V-LOK	92011898
PV 271/275	8-5/8" > 7" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 4-1/2" Beco Box Pv-271/275 Top thread saver sub 5-3/4" F/F c/w V-LOK	92011805
PV 271/275	8-5/8" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 Top thread saver sub 7-3/4" F/F c/w V-LOK	92011806
CAT	8-5/8" OD X 8" S/S, 5-1/2" API Reg Pin / 6" BECO Box, SKS/SKSS, Top thread saver sub c/w V-LOK	92011940
CAT	8-5/8" > 7-5/8" OD X 8" S/S, 5-1/2" API Reg Pin / 5-1/2" Beco Box, SKS/SKSS, Top thread saver sub c/w V-LOK	92011941
CAT	8-5/8" > 7" OD X 8" S/S, 5-1/2" API Reg Pin / 4-1/2" Beco Box, SKS/SKSS, Top thread saver sub c/w V-LOK	92011942
CAT	8-5/8" > 6-1/4" OD X 8" S/S, 5-1/2" API Reg Pin / 4-1/2" Beco Box, SKS/SKSS, Top thread saver sub c/w V-LOK	92011943

## HD FCS 400127 floating cushion sub V-LOK™ (no-weld) clamp compatible

Top connection	Bottom connection	S/S Length	Drill rig model	Weight		Comments	Product No.
				kg	lbs		
4" API-IF Pin	4-1/2" API-IF (6-3/4" Ø)	25'	PV 235	204	450	For 4-1/2" to 7-5/8" O/D drill strings	92011682
4" API-IF Pin	4-1/2" API-IF (6-3/4" Ø)	22'	DML / DM45	187	412	For 4-1/2" to 7-5/8" O/D drill strings	92011683

## Related top thread saver subs: V-LOK™ (no-weld) clamp compatible

Drill rig model	Description	Product No.
DM45/DML	6-3/4" > 5-1/2" O.D. x 7" S/S 4-1/2" API-IF Pin / 3-1/2" Beco Box T4/Dm30/Dm45/Dm50/Dml Top thread saver sub 4-1/2" F/F c/w V-LOK	92011979
DM45/DML	6-3/4" > 6-1/4" O.D. x 7" S/S 4-1/2" API-IF Pin / 4" Beco Box T4/Dm30/Dm45/Dm50/Dml Top thread saver sub 4-1/2" F/F c/w V-LOK	92011724
DM45/DML	6-3/4" < 7" O.D. x 7" S/S 4-1/2" API-IF Pin / 4-1/2" Beco Box T4/Dm30/Dm45/Dm50/Dml Top thread saver sub 5" F/F c/w V-LOK	92011725
DM45/DML	6-3/4" < 7-5/8" O.D. x 7" S/S 4-1/2" API-IF Pin / 5-1/4" Beco Box T4/Dm30/Dm45/Dm50/Dml Top thread saver sub 5" F/F c/w V-LOK	92011726
PV 235	5-1/2" O.D. x 12" S/S 4-1/2" API-IF Pin, 3-1/2" Beco Box, PV 235 Top Thread Saver c/w V-LOK	92011980
PV 235	6-1/4" O.D. x 12" S/S 4-1/2" API-IF Pin, 4" Beco Box, PV 235 Top Thread Saver c/w V-LOK	92011716
PV 235	7" O.D. x 12" S/S 4-1/2" API-IF Pin, 4-1/2" Beco Box, PV 235 Top Thread Saver c/w V-LOK	92011717
PV 235	7-5/8" O.D. x 12" S/S 4-1/2" API-IF Pin, 5-1/4" Beco Box, PV 235 Top Thread Saver c/w V-LOK	92011718
PV 231-SP	6-3/4" > 5-1/2" O.D. x 30" S/S 4-1/2" Api-If Pin / 3-1/2" Beco Box Pv-205/235 Top thread saver sub 4-1/2" F/F c/w V-LOK	92011900
PV 235	5-7/8" < 6-3/4" O.D. x 25" S/S 4" API-IF Pin, 5-1/4" ACT-115B, V-LOK	92011949
PV 235	7-5/8" O.D. X 12" S/S 4-1/2" API-IF Pin, 5-1/4" ACT 115 Box, V-LOK	92011950

## FCS PD6-2 Floating cushion sub V-LOK™ (no-weld) clamp compatible


Top connection	Bottom connection	S/S Length	Drill rig model	Weight		Comments	Product No.
				kg	lbs		
3-1/2" API-REG	3-1/2" API-REG (5-1/2" Ø)	16'	DM45	75	165	For 5-1/2" drill string	92011843

## Related top thread saver subs: V-LOK™ (no-weld) clamp compatible

Drill rig model	Description	Product No.
ROC L8/D65	5-1/2" > 4-1/2" O.D. x 11" S/S 3-1/2" API-IF Pin / 3-1/2" API-REG Box, Top Thread Saver Sub c/w V-LOK	92011842

## V-LOK™ (no-weld) clamp sets

Drill string O/D / clamp size	Fits between	Weight		Product No.
		kg	lbs	
5-1/2"	Shock sub / Top sub	12	26	92011841
5-7/8"	Shock sub / Top sub	13	29	92011748
6-3/4"	Shock sub / Top sub	14	31	92011744
7"	Spindle - Future	15	33	92011745
7.468"	Spindle - Future	16	35	92011749
7-5/8"	Shock sub / Top sub	17	37	92011146
8"	Spindle - Future	17	37	92011750
8-5/8"	Shock sub / Top sub	18	40	92011746
8.937"	Spindle - Future	20	44	92011751
10-3/4"	Shock sub / Top sub	22	49	92011645
13-3/8"	Shock sub / Top sub	28	62	92011747



## V-LOK™ hardware kit

Drill string O/D / Clamp size	Comments	Weight		Product No.
		kg	lbs	
One size fits all	4 new bolts and Nord-Lock™ washers	1		92011825



# Thread saver subs – general list V-LOK™ (no-weld) clamp compatible



V-LOK thread saver subs

Drill rig model	Description	Product No.
CAT/ BE	10-3/4" > 9-1/4" O.D. x 24" S/S 8" Beco Pin / 6" Beco Box Be45/49/55/60/61/67/59-R top thread saver sub D-slots c/w V-LOK	92003498
DM45/DML	6-3/4" > 6-1/4" O.D. x 7" S/S 4-1/2" API-IF Pin / 4" Beco Box T4/Dm30/Dm45/Dm50/Dml top thread saver sub 4-1/2" F/F c/w V-LOK	92011724
DM45/DML	6-3/4" < 7" O.D. x 7" S/S 4-1/2" API-IF Pin / 4-1/2" Beco Box T4/Dm30/Dm45/Dm50/Dml top thread saver sub 5" F/F c/w V-LOK	92011725
DM45/DML	6-3/4" < 7-5/8" O.D. x 7" S/S 4-1/2" API-IF Pin / 5-1/4" Beco Box T4/Dm30/Dm45/Dm50/Dml top thread saver sub 5" F/F c/w V-LOK	92011726
PV 271/275	7-5/8" O/D x 9.5" S/S 6-5/8" API-REG Pin, 5-1/4" Beco Box c/w V-LOK	92011148
PV 271/275	7-5/8" O/D x 9.5" S/S 5-1/4" Beco Pin, 5-1/4" Beco Box c/w V-LOK	92011149
PV 271/275	8-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 top thread saver sub 7-3/4" F/F c/w V-LOK	92011752
PV 271/275	8-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 modified top thread saver sub 7" F/F c/w V-LOK	92011872
PV 271/275	8-5/8" > 7" O.D. x 19" S/S 6-5/8" API-REG Pin, 4-1/2" Beco Box, V-LOK	92011958
PV 235	6-1/4" O.D. x 12" S/S 4-1/2" API-IF Pin, 4" Beco Box, PV 235 top thread saver c/w V-LOK	92011716
PV 235	7" O.D. x 12" S/S 4-1/2" API-IF Pin, 4-1/2" Beco Box, PV 235 top thread saver c/w V-LOK	92011717
PV 235	7-5/8" O.D. x 12" S/S 4-1/2" API-IF Pin, 5-1/4" Beco Box, PV 235 top thread saver c/w V-LOK	92011718
PV 235	6-3/4" > 5-1/2" O.D. x 30" S/S 4-1/2" Api-If Pin / 3-1/2" Beco Box Pv-205/235 top thread saver sub 4-1/2" F/F c/w V-LOK	92011900
PV 235	5-7/8" < 6-3/4" O.D. x 25" S/S 4" API-IF Pin, 5-1/4" ACT-115B, V-LOK	92011949
PV 235	7-5/8" O.D. X 12" S/S 4-1/2" API-IF Pin, 5-1/4" ACT 115 Box, V-LOK	92011950
BE/P&H/GD	10-3/4" O.D. x 36" S/S 8" Beco Pin / 8" Beco Box Be/P&H/Gd top thread saver sub 9-1/4" Recess & D-Slots c/w V-LOK	92011758
BE / CAT	10-3/4" > 9-1/4" O.D. x 43" S/S 8" Beco Pin / 6" Beco Box Be/P&H/Gd top thread saver sub D-Slots c/w V-LOK	92011719
PV 351	10-3/4" > 9-1/4" O.D. x 31" S/S 8" Beco Pin / 6" Beco Box Pv-351 top thread saver sub 7-3/4" F/F c/w V-LOK	92011779
PV 351	10-3/4" O.D. x 31" S/S 8" Beco Pin / 8" Beco Box Pv-351 top thread saver sub 9-1/4" F/F V-LOK	92011780
PV 351	10-3/4" > 9-1/4" O.D. x 36" S/S 8" Beco Pin / 6" Beco Box Pv-351 top thread saver sub 7-3/4" F/F V-LOK	92011781
PV 351	10-3/4" O.D. x 36" S/S 8" Beco Pin / 8" Beco Box Pv-351 V-LOK top thread saver sub 9-1/4" F/F	92011782
PV 351	13-3/8" > 10-3/4" O.D. x 31" S/S Pv-351 top thread saver sub c/w 10" Beco Pin / 8" ACT-115 Box 9-1/4 F/F c/w L-LOK	92011926
PV 271/275	8-5/8" > 7-5/8" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 5-1/4" Beco Box Pv-271/275 top thread saver sub 6-3/4" F/F c/w V-LOK	92011804
PV 271/275	8-5/8" > 7-5/8" O.D. x 19" S/S 6-5/8" Api-Reg Pin / 5-1/4" Beco Box Pv-271/275 top thread saver sub 6-3/4" F/F c/w V-LOK	92011898
PV 271/275	8-5/8" > 7" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 4-1/2" Beco Box Pv-271/275 top thread saver sub 5-3/4" F/F c/w V-LOK	92011805
PV 271/275	8-5/8" O.D. x 24" S/S 6-5/8" Api-Reg Pin / 6" Beco Box Pv-271/275 top thread saver sub 7-3/4" F/F c/w V-LOK	92011806
PV 351	13-3/8" O.D. x 31" S/S 10" Beco Pin / 10" Beco Box Pv-351 top thread saver sub 11-3/8" F/F c/w V-LOK	92011822
BE/P&H/GD	13-3/8" O.D. x 48" S/S 10" Beco Pin / 10" Beco Box Be / P&H / Gd top thread saver sub D-slots c/w V-LOK	92011823
BE/P&H/GD	13-3/8" O.D. x 27" S/S 10" Beco Pin / 10" Beco Box Be / P&H / Gd top thread saver sub D-slots c/w V-LOK	92011966
BE/P&H/GD	10-3/4" > 8-5/8" O.D. x 43" S/S 8" Beco Pin / 6" Beco Box Be/P&H/Gd top thread saver sub D-Slots c/w V-LOK	92011852
BE/P&H/GD	10-3/4" O.D. x 26" S/S 8" Beco Pin / 8" Beco Box Be/P&H/Gd top thread saver sub D-Slots c/w V-LOK	92011109
ROC L8/D65	5-1/2" > 4-1/2" O.D. x 11" S/S 3-1/2" API-IF Pin / 3-1/2" API-REG Box, top thread saver sub c/w V-LOK	92011842
CAT / BE	10-3/4" > 9-1/4" O.D. x 55" S/S 8" Beco Pin / 6" ACT-115 Box Be45/49/50/55/60/61/67/59-R Modified (MD6640) top thread saver sub 7" F/F c/w V-LOK	92011867
CAT / BE	10-3/4" > 9-1/4" O.D. x 39" S/S 8" Beco Pin / 6" Beco Box Be/P&H/Gd top thread saver sub D-slots c/w V-LOK	92011887
CAT	8-5/8" OD X 8" S/S, 5-1/2" API Reg Pin / 6" BECO Box, SKS/SKSS, top thread saver sub c/w V-LOK	92011940
CAT	8-5/8" > 7-5/8" OD X 8" S/S, 5-1/2" API Reg Pin / 5-1/2" Beco Box, SKS/SKSS, top thread saver sub c/w V-LOK	92011941
CAT	8-5/8" > 7" OD X 8" S/S, 5-1/2" API Reg Pin / 4-1/2" Beco Box, SKS/SKSS, top thread saver sub c/w V-LOK	92011942
CAT	8-5/8" > 6-1/4" OD X 8" S/S, 5-1/2" API Reg Pin / 4-1/2" Beco Box, SKS/SKSS, top thread saver sub c/w V-LOK	92011943
CAT	6-3/4" > 7" OD X 6-1/4" S/S, 4.50" AIP, 4.50" BB, SKS/SKSS, top thread saver sub c/w V-LOK	92011951
CAT	6-3/4" > 7" OD X 7" S/S, 4.50" AIP, 4.50" BB, SK50/F, top thread saver sub c/w V-LOK	92011952
CAT	13-3/8" > 10-3/4" O.D. x 27" S/S 10" Beco Pin / 8" ACT-115 Box Be/P&H/Gd top thread saver sub D-slots c/w V-LOK	92011921
CAT	8-5/8" O.D. X 28" S/S, 5-1/2" API-REG Pin, 5-1/2" API-REG Box, top thread saver, V-LOK	92011938
CAT	6-3/4" O.D. X 21" S/S, 5-1/2" API-REG Pin, 4-1/2" API-IF Box, V-LOK	92011939
SANDVIK	7-5/8" OD X 8" S/S, 5-1/2" API REG Pin / 6" BECO Double Start Thread DR460, top thread saver sub c/w V-LOK	92011954
SANDVIK	6-3/4" < 7-5/8" O/D X 16" S/S, 5-1/2" API-REG Pin, 5-1/2" API-REG Box, V-LOK	92011953

# United in performance. Inspired by innovation.

Performance unites us, innovation inspires us, and commitment drives us to keep moving forward. Count on Epiroc to deliver the solutions you need to succeed today and the technology to lead tomorrow.

[epiroc.com](http://epiroc.com)



**Epiroc Drilling Tools AB**  
Box 521, SE-737 25 Fagersta, Sweden  
Phone: +46 (0)223 461 00